

	Hits	Search Text	DBs
1	27489	raster and display	US- PGPUB; USPAT; EPO; JPO; DERWENT
2	450	raster and display and (coil same correct\$3 same signal)	US- PGPUB; USPAT; EPO; JPO; DERWENT
3	190	(raster and display and (coil same correct\$3 same signal)) and \$4align\$4	US- PGPUB; USPAT; EPO; JPO; DERWENT
4	165	((raster and display and (coil same correct\$3 same signal)) and \$4align\$4) and ((cathode adj ray adj tube) or CRT)	US- PGPUB; USPAT; EPO; JPO; DERWENT
5	60	((((raster and display and (coil same correct\$3 same signal)) and \$4align\$4) and ((cathode adj ray adj tube) or CRT)) and (temperature or (ambient adj magnet\$3) or pressure))	US- PGPUB; USPAT; EPO; JPO; DERWENT
6	45	(((((raster and display and (coil same correct\$3 same signal)) and \$4align\$4) and ((cathode adj ray adj tube) or CRT)) and (temperature or (ambient adj magnet\$3) or pressure)) and (control\$4 near5 signal))	US- PGPUB; USPAT; EPO; JPO; DERWENT
7	35	((((((raster and display and (coil same correct\$3 same signal)) and \$4align\$4) and ((cathode adj ray adj tube) or CRT)) and (temperature or (ambient adj magnet\$3) or pressure)) and (control\$4 near5 signal)) and (electron adj beam)	US- PGPUB; USPAT; EPO; JPO; DERWENT

	Hits	Search Text	DBs
8	3	(((((raster and display and (coil same correct\$3 same signal)) and \$4align\$4) and ((cathode adj ray adj tube) or CRT)) and (temperature or (ambient adj magnet\$3) or pressure)) and (control\$4 near5 signal)) and (electron adj beam)) and "313"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT
9	11	(((((raster and display and (coil same correct\$3 same signal)) and \$4align\$4) and ((cathode adj ray adj tube) or CRT)) and (temperature or (ambient adj magnet\$3) or pressure)) and (control\$4 near5 signal)) and (electron adj beam)) and "315"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT
10	3	((("5216204") or ("5825414") or ("6014168"))).PN.	USPAT; USOCR
11	1	("5216504").PN.	USPAT; USOCR
12	339	raster and display and (coil same correct\$3) and \$4align\$4	US- PGPUB; USPAT; EPO; JPO; DERWENT
13	110	(raster and display and (coil same correct\$3) and \$4align\$4) and (control adj signal)	US- PGPUB; USPAT; EPO; JPO; DERWENT
14	15	((raster and display and (coil same correct\$3) and \$4align\$4) and (control adj signal)) and temperature and pressure	US- PGPUB; USPAT; EPO; JPO; DERWENT
15	3	((raster and display and (coil same correct\$3) and \$4align\$4) and (control adj signal)) and temperature and pressure) and (magnet\$3 adj field)	US- PGPUB; USPAT; EPO; JPO; DERWENT

	Hits	Search Text	DBs
16	11	((("6133685") or ("5621287") or ("5592045") or ("5592230") or ("5367380") or ("5223769") or ("4636843") or ("4409523") or ("4314179") or ("4287531") or ("4183064"))).PN.	USPAT; USOCR
17	652	(cathode adj ray adj tube) and (pressure adj sensor)	US- PGPUB; USPAT; EPO; JPO; DERWENT
18	66	((cathode adj ray adj tube) and (pressure adj sensor)) and (speed near5 signal)	US- PGPUB; USPAT; EPO; JPO; DERWENT
19	1	((cathode adj ray adj tube) and (pressure adj sensor)) and (speed near5 signal)) and "315"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT
20	0	((cathode adj ray adj tube) and (pressure adj sensor)) and (speed near5 signal)) and (velocity adj modulation)	US- PGPUB; USPAT; EPO; JPO; DERWENT
21	0	((cathode adj ray adj tube) and (pressure adj sensor)) and (speed near5 signal)) and (velocity adj modulat\$3)	US- PGPUB; USPAT; EPO; JPO; DERWENT
22	41	((cathode adj ray adj tube) and (pressure adj sensor)) and (speed near5 signal)) and correct\$3	US- PGPUB; USPAT; EPO; JPO; DERWENT
23	0	((cathode adj ray adj tube) and (pressure adj sensor)) and (velocity adj modulat\$3)	US- PGPUB; USPAT; EPO; JPO; DERWENT

	Hits	Search Text	DBs
24	21155	Hwang.in.	US- PGPUB; USPAT; EPO; JPO; DERWENT
25	6	Hwang.in. and 313/414.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT
26	93673	Park.in.	US- PGPUB; USPAT; EPO; JPO; DERWENT
27	17	Park.in. and 313/414.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT